

12 **EUROPEAN PATENT APPLICATION**

21 Application number: 86201390.1

51 Int. Cl.: **A 61 K 9/54, A 61 K 31/19**

22 Date of filing: 07.08.86

30 Priority: 16.08.85 US 766869

71 Applicant: **THE PROCTER & GAMBLE COMPANY, One Procter & Gamble Plaza, Cincinnati Ohio 45202 (US)**

43 Date of publication of application: 04.03.87  
Bulletin 87/10

72 Inventor: **Kelm, Gary Robert, 8524 Althaus Road, Cincinnati OH 45247 (US)**  
Inventor: **Whalen, Scott Donald, 6540 Euclid Avenue, Cincinnati OH 45243 (US)**  
Inventor: **Keeter III, William Ernest, 4956 Cinnamon Circle, Cincinnati OH 45244 (US)**

84 Designated Contracting States: **BE CH DE FR IT LI LU NL**

74 Representative: **Ernst, Hubert et al, PROCTER & GAMBLE EUROPEAN TECHNICAL CENTER Temselaan 100, B-1820 Strombeek-Bever (BE)**

54 **Drug particles having constant release and immediate release.**

57 Drug particles are disclosed which reduce the variation in dissolution rate with time frequently found with sustained-release dosage forms. Additionally the particles give very rapid absorption of the drug by the body. This is achieved by coating the drug particle with a first coating of an enteric material, a second coating of a material which is insoluble at any pH and acts as a diffusion barrier for the drug active and a final, third, coating of a mixture of the drug and hydrophilic excipients.

**EP 0 212 747 A2**

DRUG PARTICLES HAVING CONSTANT RELEASE  
AND IMMEDIATE RELEASE

Gary Robert Kelm

Scott Donald Whalen

William Ernest Keeter, III

TECHNICAL FIELD

The present invention is related to sustained release drug particles having a release profile providing for more constant release and absorption of the drug active.

BACKGROUND OF THE INVENTION

This invention relates to pharmaceutical particles providing a prolonged release of the drug active as well as rapid absorption.

The administration of drugs orally oftentimes presents serious problems. In very many cases, it is necessary for the drugs to be absorbed from the gastro-intestinal tract into the bloodstream. When a drug is given by mouth, the assimilation is normally fairly rapid and the level in the blood reaches a maximum. Then it declines as the drug is excreted or otherwise removed from the bloodstream. The blood level falls and finally reaches a level so low that it is no longer effective and it is then necessary to take another dose. The peaks and valleys thus caused in blood level have several disadvantages. One is the necessity of taking frequent small doses in order to maintain a therapeutically desired blood level. This is awkward and presents a problem as the patient has to continue to take further doses. A second drawback is that in order to have a therapeutically useful blood level, each dose has to be fairly large so that after the blood level peak is reached and begins to subside, there will still remain sufficient of the drug to be useful. The necessity for large doses brings with it some problems. The large initial doses may be unacceptable or may produce some undesirable side reactions.

For the reasons set out above, various attempts have been made to slow up the release of drugs taken orally, producing a sustained release product. Sometimes it is felt desirable only to slow up the release sufficiently so that it extends over a long

enough time to even out the more marked peaks and valleys in blood level. In other cases, it may be desirable to prevent assimilation from the stomach but to permit assimilation from the intestine. Various coatings have been developed (i.e., enteric coatings) to achieve this purpose.

Some of the attempts at making improved sustained-release particles are reflected in patents issued in the area. One patent is U.S. 3,078,216, February 19, 1963 to Greif, which discloses sustained-release particles having a coating of water-insoluble wax and possibly, a second enteric coating. U.S. Patent 4,459,279, July 10, 1984 to Stricker et al., discloses drug granules having a coating of a water insoluble component and a water soluble component. As a final second coating an enteric polymer may be employed. European Patent Application 0 061 217, September 29, 1982 to Giudice et al., discloses drug particles having an inert core, a first layer of the drug and an outer second layer of polyvinyl pyrrolidone. European Patent Application 0 092 060, October 26, 1983 to Colombo et al., discloses drug particles having an enteric polymer in the drug core, a first coating designed to regulate the release of the drug and a second coating to protect the first coating.

While the above described references disclose delayed release drug particles, they as well as other prior art executions, do not provide complete answers to making totally satisfactory delayed release products, particularly those containing propionic acid derivatives.

Some drugs, such as ibuprofen do not appear to follow a pattern of constant release found for other drugs. Instead, the dissolution data for ibuprofen particles having a porous coating indicate that the controlling surface area is not the constant surface area of the porous coating, but the surface area of the ibuprofen particle which decreases with time as the drug dissolves. Thus, the dissolution rate decreases with time.

The decrease in dissolution rate with time of an ibuprofen particle having a porous coating can be compensated for if the resistance of the porous coating to diffusion also decreases with

time. This can be achieved by decreasing its thickness with time. The present invention provides a means of producing a coating on an ibuprofen particle that decreases in thickness at a rate such that the decrease in surface area of the ibuprofen particle as it dissolves is compensated for and the dissolution rate remains essentially constant.

It is therefore an object of the present invention to provide improved delayed release particles, having both a more uniform release pattern as well as rapid absorption of the drug by the body.

It is a further object of the present invention to provide an analgesic effective against a variety of pain, acute and chronic.

It is still a further object of the present invention to provide delayed release particles which are effective in the treatment of dysmenorrhea.

These and other objects will become readily apparent from the detailed description which follows.

As used herein all percentages and ratios are by weight unless otherwise specified.

#### SUMMARY OF INVENTION

The present invention relates to therapeutic particles containing a drug active core, a first coating of an enteric material, a second coating of a material which is insoluble at any pH and acts as a diffusion barrier for the drug active and a third coating of the drug active and hydrophilic excipients.

#### DETAILED DESCRIPTION OF THE INVENTION

The essential as well as optional components of the present particles are described below. In the present application the following terms have the meanings given.

"Pharmaceutically-acceptable" or "pharmacologically-acceptable", as used herein, means that the ingredients used in the compositions are suitable for use in contact with the tissue of humans, without undue toxicity, irritation, allergic response, and the like, commensurate with a reasonable benefit/risk ratio.

The term "comprising", as used herein, means that various other compatible components, including both active and inert

ingredients, can be conjointly employed in the compositions of this invention. The term "comprising" thus encompasses and includes the more restrictive terms "consisting of" and "consisting essentially of".

5 By "compatible" herein is meant that the components of the present invention are capable of being commingled without interacting in a manner which would substantially decrease the efficacy of the therapeutic under ordinary use conditions.


#### Drug Active

10 The drug active found useful in the particles of the present invention are propionic acid derivatives. Such compounds have both analgesic and anti-inflammatory activity and can be used at appropriate dosage levels in the present invention. The compounds are frequently used in their free acid form but also  
15 can be used in the form of their pharmaceutically accepted salts.


The propionic acid derivatives for use herein include, but are not limited to, ibuprofen, flurbiprofen, fenoprofen, ketoprofen, indoprofen, suprofen, and fluprofen. Structurally related propionic acid derivatives having similar analgesic and  
20 anti-inflammatory properties are also intended to be encompassed by this group. Structural formulas for representative group members are set forth below:

#### Propionic Acid Derivatives

25 ibuprofen




flurbiprofen




30

fenoprofen




35


indoprofen



5 ketoprofen



10 fluprofen



15 Thus, "propionic acid derivatives" as defined herein are non-narcotic analgesics/nonsteroidal anti-inflammatory drugs having a free  $--CH(CH_3)COOH$  or  $--CH_2CH_2COOH$  group (which optionally can be in the form of a pharmaceutically acceptable salt group, e.g.,  $--CH(CH_3)COO-Na^+$  or  $--CH_2CH_2COO-Na^+$ ), typical-  
20 ly attached directly or via a carbonyl function to a ring system, preferably to an aromatic ring system.


A drug preferred for use in the present compositions is ibuprofen.

25 The drug active can form the entire core of the particles of the present invention or be combined with other pharmaceutically acceptable materials. The size of the core composition can be chosen to meet the formulator's needs but is preferably from about 0.1mm to about 2mm, most preferably from about 0.5mm to about 1.2 mm.

### 30 First Coating

The first coating used on the present particles is an enteric polymer. The polymer is selected from the group consisting of acrylic polymers and copolymers. The material should not be soluble in the stomach (i.e., acidic pH environment) but be  
35 soluble in the intestines. A preferred material is Eudragit<sup>TM</sup>

L30D offered by Rohm Pharma. This material is a copolymer, anionic in character, based on polymethacrylic acid and acrylic acid esters having the following repeating structure:




The L30D material has a mean molecular weight of about 250,000.

The first coating is preferably applied to the core so that the weight of coating solids is from about 1% to about 30% based on the total weight of the core plus coating solids, preferably from about 2% to about 20%.

Materials which modify the enteric coating can be used with the enteric. Such materials include pharmaceutically acceptable plasticizers such as triacetin which are compatible with the drug active. Plasticizers are used at a level of from about 0% to about 25%, preferably from about 0% to about 15% based on the weight of the solids in the first coating.

#### Second Coating



The second coating on the present particles serves as a diffusion barrier for the drug active. The coating material is a polymer or copolymer based on methacrylic acid. The material should be permeable to water and solubilized drugs but is preferably not soluble at any of the pHs found in the stomach or the intestines. A preferred material is Eudragit<sup>TM</sup> E 30D offered by Rohm Pharma. This material is a copolymer, neutral in character, based on poly(meth)acrylic acid esters having the following repeating structure:



R = H or CH<sub>3</sub>; R<sub>1</sub> = CH<sub>3</sub> or C<sub>2</sub>H<sub>5</sub>

Eudragit<sup>TM</sup> E-30D has a mean molecular weight of about 800,000

Materials which can be used as a partial replacement of Eudragit E-30D are copolymers synthesized from acrylic and methacrylic acid esters with a low content of quaternary ammonium groups. The repeating structure is as follows:



The molar ratio of the ammonium groups to the remaining meth(acrylic) acid esters is 1:20 with a material identified as Eudragit<sup>TM</sup> RL and 1:40 with a material identified as Eudragit<sup>TM</sup> RS.

As with Eudragit<sup>TM</sup> E-30D material, the RL and RS materials are permeable to water and to the drug actives but are virtually insoluble at any pH.

As with the first coating, the second coating may contain pharmaceutically acceptable materials which modify the coating. Such materials include hydroxypropyl methyl cellulose, talc, sodium chloride, and polysorbate 80 (POE [20] sorbitan monooleate). These materials are conventional adjuvant materials for use with coatings and can be used at levels found by the formulator necessary to give the effect desired (e.g., hydroxypropyl methyl cellulose up to about 8% of the acrylic polymer; talc up to about 35% of the acrylic polymer; polysorbate 80 up to about 4% of the acrylic polymer; and sodium chloride up to about 10% of the acrylic polymer).

The second coating is used in the present particles at a level such that the second coating is from about 2% to about 20% of the total solids in the core, the first coating and the second coating, preferably from about 4% to about 8%. The amount of



acrylic polymer in the second coating, on this same basis should be from about 1.2% to about 11.8%, preferably from about 2.4% to about 4.8%.

### Third Coating

5       The third coating on the present particles is a mixture of the drug active and hydrophilic excipients. This coating helps to provide rapid absorption of the drug by the body.

10       The hydrophilic excipients include materials such as hydroxypropyl methyl cellulose (HPMC), lactose and polyvinylpyrrolidone (PVP K-30). Another material which is useful in this third coating is a surfactant such as polysorbate 80. The hydrophilic such as HPMC comprise from about 1% to about 30%, preferably from about 5% to about 15% of the third coating while the surfactant comprises from about 0.1% to about 5%, preferably from about 0.3% to about 3%. The amount of the third coating can be any amount desired by the formulator. It is generally, however, from about 10% to about 67%, preferably from about 15% to about 50% of the total coated particle weight.

15       It is an option in the present invention to apply a coating of a water soluble polymer such as a polyvinyl pyrrolidone to the core before the application of the first coat described above. This polymer would be present at a level of 0.2% to about 5.0% based on the weight of the core.

### METHOD OF MANUFACTURE

25       A method for manufacturing the particles of the present invention is given in Example I.

### FIELD OF USE

30       The particles of the present invention can be used in tablets, capsules or any other convenient form. As indicated previously, the drug actives are known for providing relief from a wide variety of pain.

35       The following examples further describe preferred embodiments within the scope of the present invention. They are given solely for illustration and are not to be construed as limitations of this invention as many variations thereof are possible without departing from the invention's scope and spirit.

EXAMPLES I, II & III

The following are representative particles of the present invention.

5		<u>Component</u>	<u>Weight %</u>		
			<u>I</u>	<u>II</u>	<u>III</u>
5	Core	Ibuprofen	69.0	76.6	41.4
		Polysorbate 80	--	--	0.2
		PVP XL	--	--	0.9
10	Pre-First Coating	Ibuprofen	--	--	25.37
		PVP K 30	--	--	0.62
		Polysorbate 80	--	--	0.06
15	First Coating	Eudragit <sup>TM</sup> L 30D	4.2	4.3	4.2
		Triacetin	--	--	0.4
20	Second Coating	Eudragit <sup>TM</sup> E 30D	3.8	3.8	1.80
		Hydroxypropyl methylcellulose	--	--	0.20
		Talc	--	--	1.0
25	Third	Polysorbate 80	--	--	0.05
		Ibuprofen	19.70	12.0	22.8
		Polysorbate 80	0.3	0.3	0.2
30		Hydroxypropyl methylcellulose	<u>3.0</u>	<u>3.0</u>	<u>0.8</u>
			100.0	100.0	100.0

The particles described above are prepared by first compacting the ibuprofen at 115 psi to 195 psi, preferably from 145 to about 165 psi, in a roller compactor. The compaction is then milled and the resulting particles sieved to obtain particles in the range of 0.1mm to about 2.0mm, preferably from about 0.5mm to about 1.2mm.

The cores are then coated with the inner Eudragit<sup>TM</sup> L 30D coating followed by the Eudragit<sup>TM</sup> E 30D coating. A first coating dispersion is prepared by diluting the coating solids with water to obtain a dispersion having about 16.5% non-volatiles.

5 The uncoated cores are then introduced into a Wurster fluidized bed coater using fluidizing air having a temperature of from about 35 to 60°C. The coating dispersion is next added to the coater by means of a peristaltic pump. The atomizing and fluidizing air flow rates and coating dispersion are adjusted to maintain a

10 coating temperature of 25 to 40°C.

The cores with the first coating are subsequently coated with a dispersion of the Eudragit<sup>TM</sup> E 30D. The dispersion having a solids concentration of about 20% is introduced into the coater using the same conditions used to apply the first coating.

15 The cores with the two coatings are dried overnight at 50°C.

The final, third, coating is formed by combining the hydroxypropyl methylcellulose with water to form a 10% solution. This solution is then combined with polysorbate 80 and the combination applied to the previously coated particles with the

20 ibuprofen using a centrifugal granulator (alternatively this coating may be applied using a Wurster coater). The conditions are adjusted so that the coating is applied at a temperature of from about 20-40°C. The final particles are dried overnight in a 50°C oven.

25 The coated particles exhibit excellent release of the ibuprofen over a period of many hours as well as rapid absorption of the ibuprofen by the body.

30

35

CLAIMS

1. Drug particles comprising:
  - (a) a propionic acid derivative core;
  - (b) a first coating of an enteric material selected from the group consisting of acrylic polymers and copolymers;
  - 5 (c) a second coating of a material insoluble in the stomach and intestines selected from the group consisting of methacrylic acid polymers and copolymers; and
  - (d) a third coating of a propionic acid derivative and hydrophilic excipients.
2. Drug particles according to Claim 1 wherein the propionic acid derivative is selected from the group consisting of ibuprofen, indoprofen, flurbiprofen, fenoprofen, fluprofen, ketoprofen and suprofen.
3. Drug particles according to Claim 2 wherein the first coating is present at a level of from about 1% to about 30% of the total weight of the core and the first coating.
4. Drug particles according to Claim 3 wherein the second coating is present at a level of from about 2% to about 20% of the total weight of the core, the first coating and the second coating.
5. Drug particles according to Claim 4 wherein the third coating is present at a level of from about 10% to about 67% of the total weight of the core, the first coating, the second coating and the third coating.
6. Drug particles according to Claim 5 wherein the propionic acid derivative is ibuprofen.
7. Drug particles according to Claim 6 wherein the first coating is based on polymethacrylic acid and acrylic acid esters and has a mean molecular weight of about 250,000.
8. Drug particles according to Claim 7 wherein the second coating is based on polymethacrylic acid esters and has a mean molecular weight of about 800,000.
9. Drug particles according to Claim 8 wherein the third coating is a mixture of ibuprofen, hydroxypropyl methylcellulose and Polysorbate 80.

1E

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets

(11)

Publication number:

**0 212 747  
A3**

(12)

## EUROPEAN PATENT APPLICATION

(21)

Application number: 86201390.1

(51)

Int. Cl.: A 61 K 9/54, A 61 K 31/19

(22)

Date of filing: 07.08.86

(30)

Priority: 16.08.85 US 766869

(71)

Applicant: THE PROCTER & GAMBLE COMPANY, One Procter & Gamble Plaza, Cincinnati Ohio 45202 (US)

(43)

Date of publication of application: 04.03.87  
Bulletin 87/10

(72)

Inventor: Kelm, Gary Robert, 8524 Althaus Road, Cincinnati OH 45247 (US)  
Inventor: Whalen, Scott Donald, 6540 Euclid Avenue, Cincinnati OH 45243 (US)  
Inventor: Keeter III, William Ernest, 4956 Cinnamon Circle, Cincinnati OH 45244 (US)

(84)

Designated Contracting States: BE CH DE FR IT LI LU NL

(74)

Representative: Ernst, Hubert et al, PROCTER & GAMBLE EUROPEAN TECHNICAL CENTER  
Temseleaan 100, B-1820 Strombeek-Bever (BE)

(88)

Date of deferred publication of search report: 11.11.87 Bulletin 87/46

(54)

Drug particles having constant release and immediate release.

(57)

Drug particles are disclosed which reduce the variation in dissolution rate with time frequently found with sustained-release dosage forms. Additionally the particles give very rapid absorption of the drug by the body. This is achieved by coating the drug particle with a first coating of an enteric material, a second coating of a material which is insoluble at any pH and acts as a diffusion barrier for the drug active and a final, third, coating of a mixture of the drug and hydrophilic excipients.

**EP 0 212 747 A3**



European Patent  
Office

# EUROPEAN SEARCH REPORT

0212747

Application number

EP 86 20 1390

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.4)
Y	DE-A-3 403 329 (H. ZERBE) * Claims 1-4 *	1-9	A 61 K 9/54 A 61 K 31/19
---			
D, Y	EP-A-0 092 060 (LABORATORI PROPHIN) * Page 5, line 8 - page 6, line 30 *	1-9	
---			
Y	EP-A-0 080 341 (A/S BENZON) * Page 9, lines 7-10; page 11, line 25 - page 12, line 19 *	1-9	
---			
A	WO-A-8 503 437 (A/S BENZON) * Page 11, line 1 - page 15, line 4 *		
-----			
			TECHNICAL FIELDS SEARCHED (Int. Cl.4)
			A 61 K
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 02-09-1987	Examiner TZSCHOPPE, D.A.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	